

<b>INFORMATION DISCLOSURE CITATION</b> (Use several sheets if necessary)		<b>ATTY. DOCKET NO.</b> PC11861A		<b>SERIAL NO.</b> 10/081,784	
EXAMINER INITIAL		<b>APPLICANT</b> Frank Lombardo, et al.			
FILING DATE 02/21/2002		<b>GROUP</b> 2857-1793			
<b>U.S. PATENT DOCUMENTS</b>					
DOCUMENT NUMBER		DATE		NAME	
<b>FOREIGN PATENT DOCUMENTS</b>					
DOCUMENT NUMBER				DATE	COUNTRY
CLASS				SUBCLASS	TRANSLATION
					YES NO
<b>OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)</b>					
y	y	Abraham, M., et al., <i>Hydrogen bonding XXXV. Relationship between high-performance liquid chromatography capacity factors and water-octanol partition coefficients</i> , J. Chromatogr. Vol. 685: 203-211, 1994			
y	y	Adams, G., et al., <i>Structure-activity relationships in the development of hypoxic cell radiosensitizers</i> , Int. J. Radiat. Biol. Vol. 35 (2): 133-150, 1979			
y	y	Alessi-Severini, S., et al., <i>Flecainide</i> , In <i>Analytical profiles of drug substances and excipients</i> , Vol. 21: 169-195, 1992			
y	y	Anderson, B., et al., <i>Effects of lipophilicity of nitroimidazoles on radiosensitization of hypoxic bacterial cells in vitro</i> , Br. J. Cancer, Vol. 39: 705-710, 1979			
y	y	Artursson, P., et al., <i>Correlation between oral drug absorption in humans and apparent drug permeability coefficients in human intestinal epithelia (Caco-2) cells</i> , Biochem. Biophys. Res. Comm., Vol. 175(3): 880-885, 1991			
y	y	Avdeef, A., <i>Assessment of distribution-pH profiles. Lipophilicity in drug action and toxicology</i> , CH. 7: 110-139, 1996			
y	y	Barbato, F., et al., <i>Hydrophobic constants and quantitative structure activity relationships (QSAR) in sets of phenothiazine drugs</i> , Eur. J. Med. Chem. - Chim. Ther., Vol. 17(3): 229-234, 1982			
y	y	Barbato, F., et al., <i>Chromatographic indices determined on an immobilized artificial membrane (IAM) column as descriptors of lipophilic and polar interactions of 4-phényldihydropyridine calcium-channel blockers with biomembranes</i> , Eur. J. Med. Chem., Vol. 31: 311-318, 1996			
y	y	Barbato, F., et al., <i>Relationships between octanol-water partition dal, chromatographic indices and their dependence on pH in a set of beta-adrenoceptor blocking agents</i> , Il Farmaco, Vol. 45(6): 647-663, 1990			
y	y	Berthod, A., et al., <i>Hydrophobicity of ionizable compounds. A theoretical study and measurements of diuretic octanol-water partition coefficients by countercurrent chromatography</i> , Anal. Chem., Vol. 71: 879-888, 1999			
y	y	Büchi, V., et al., <i>Zusammenhänge zwischen der chemischen Konstitution, den physikalisch-chemischen Eigenschaften, der chemischen reaktivität und der lokalenästhetischen Wirksamkeit einiger Procain-Isostere</i> , Arzneim.-Forsch., Vol. 22: 1071-1084, 1972			
y	y	Bundgaard, H., et al., <i>Allopurinol prodrugs. II. Synthesis, hydrolysis kinetics and physicochemical properties of various N-acyloxymethyl allopurinol derivatives</i> , Inter. J. Pharm., Vol. 24: 307-325, 1985			
y	y	Camenisch, G., et al., <i>Estimation of permeability by passive diffusion through Caco-2 cell monolayers using the drugs' lipophilicity and molecular weight</i> , Eur. J. Pharm. Sci., Vol. 6:313-319, 1998			
y	y	Carelli, V., et al., <i>Enhancement effects in the permeation of Alprazolam through hairless mouse skin</i> , Inter. J. Pharm., Vol. 88: 89-97, 1992			
<b>EXAMINER</b>  JAN LUDLOW PRIMARY EXAMINER		<b>DATE CONSIDERED</b>		<b>RECEIVED</b> OCT 14 2003 TC 1700	



<b>INFORMATION DISCLOSURE CITATION</b> (Use separate sheets if necessary)				<b>ATTY. DOCKET NO.</b> PC11861A				<b>SERIAL NO.</b> 10/081,784					
<b>APPLICANT</b> Frank Lombardo, et al.				<b>FILING DATE</b> 02/21/2002				<b>GROUP</b> 2857 17 43					
<b>U.S. PATENT DOCUMENTS</b>													
<b>EXAMINER INITIAL</b>	OCT 02 2003 U.S. PATENT & TRADEMARK OFFICE	<b>DOCUMENT NUMBER</b>	<b>DATE</b>	<b>NAME</b>	<b>CLASS</b>	<b>SUBCLASS</b>	<b>FILING DATE IF APPROPRIATE</b>						
<b>FOREIGN PATENT DOCUMENTS</b>													
<b>DOCUMENT NUMBER</b>								<b>DATE</b>	<b>COUNTRY</b>	<b>CLASS</b>	<b>SUBCLASS</b>	<b>TRANSLATION</b> YES NO	
<b>OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)</b>													
		Lombardo, F., et al., <i>ElogD<sub>ad</sub>: A tool for lipophilicity determination in drug discovery. 2. Basic and neutral compounds</i> , <u>J. Med. Chem.</u> , Vol. 44(15): 2490-2497, 2001											
		Lüllmann, H., et al., <i>The binding of drugs to different polar lipids in vitro</i> , <u>Biochem. Pharmacol.</u> , Vol. 28: 3409-3415, 1979											
		Maillard, C., et al., <i>Design, synthesis, and pharmacological evaluation of conformationally constrained analogues of N,N-diaryl- and N-Aryl-N-alkylguanidines as potent inhibitors of neuronal Na<sup>+</sup> channels</i> , <u>J. Med. Chem.</u> , Vol. 41, 3048-3061, 1998											
		Manners, C., et al., <i>Lipophilicity of zwitterionic sulphate conjugates of tiaramide, propranolol and 4'-hydroxypropranolol</i> , <u>Xenobiotica</u> , Vol. 19(12): 1387-1397, 1989											
		Melander, W., et al., <i>Stationary phase effects in reversed-phase chromatography I. Comparison of energetics of retention on alkyl-silica bonded phases</i> , <u>J. Chromatogr.</u> , Vol. 199: 35-56, 1980											
		Meuldemans, W., <i>Plasma protein binding and distribution of fentanyl, sufentanil, alfentanil and lofentanil in blood</i> , <u>Arch. Int. Pharmacodyn.</u> , Vol. 257: 4-19, 1982											
		Minick, D., et al., <i>Modeling octanol-water partition coefficients by reversed-phase liquid chromatography</i> , <u>J. Chromatogr.</u> , Vol. 461: 177-191, 1989											
		Minick, D., et al., <i>A comprehensive method for determining hydrophobicity constants by reversed-phase high-performance liquid chromatography</i> , <u>J. Med. Chem.</u> , Vol. 31: 1923-1933, 1988											
		Mohler, V., et al., <i>On Chemistry and synthesis of 3,7-dimethyl-1-(5-oxo-hexyl)-xanthine</i> , <u>Arzneim.-Forsch.</u> , Vol. 21: 1159-1160, 1971											
		Morelock, M., et al., <i>Estimation and correlation of drug water solubility with pharmacological parameters required for biological activity</i> , <u>J. of Pharm. Sci.</u> , Vol. 83(7): 948-952, 1994											
		Möller, W., et al., <i>Interactions of benzodiazepines with human serum albumin, Circular Dichroism Study</i> , <u>Arch. Pharmacol.</u> , Vol. 278: 301-312, 1973											
		O'Connor, D., et al., <i>Influence of physicochemistry on the brain penetration of the triptans in rat</i> , <u>Poster presented at the XIV Course in Drug Research</u> , Helsinki, Finland, June 5-8, 1997											
<b>EXAMINER</b>		<b>JAN LUDLOW</b> <b>PRIMARY EXAMINER</b>				<b>DATE CONSIDERED</b>							
<small>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</small>													

Conforms with FORM PTO-FB-A820

INFORMATION DISCLOSURE

<b>INFORMATION DISCLOSURE CITATION</b> (Use several sheets if necessary)				<b>ATTY. DOCKET NO.</b> PC11861A				<b>SERIAL NO.</b> 10/081,784				
				<b>APPLICANT</b> Frank Lombardo, et al.				RECEIVED OCT 15 2003 TC 1700				
				<b>FILING DATE</b> 02/21/2002								
<b>U.S. PATENT DOCUMENTS</b>												
EXAMINER INITIAL								DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
<b>FOREIGN PATENT DOCUMENTS</b>												
DOCUMENT NUMBER								DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION
												YES NO
<b>OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)</b>												
[Signature]	Okada, J., et al., <sup>13</sup> C nuclear magnetic resonance spectra of antipyrine derivatives and their application to hansch analysis, <i>Chem. Pharm. Bull.</i> , Vol. 24(1): 61-71, 1976											
[Signature]	Pagliara, A., et al., Structural properties governing retention mechanisms on RP-HPLC stationary phases used for lipophilicity measurements, <i>Journal of Liquid Chromatography</i> , Vol. 18(9): 1721-1745, 1995											
[Signature]	Pauletti, G., et al., Can counterions affect the transport of a lipophilic diarylguanidine (CNS 1237) across caco-2 cell monolayers in vitro?, <i>Pharm. Res.</i> , Vol. 14: S-24, 1997											
[Signature]	Pertman, M., et al., Use of pH dependence of log D for PKA determination and formulation of diarylguanidines, <i>Pharm. Res.</i> , Vol. 13: S-339, 1996											
[Signature]	Prierewer, H., et al., Solubility and distribution coefficient of potassium and magnesium retaining triamterene derivatives, <i>Pharmazie</i> , Vol. 51: 279-282, 1996											
[Signature]	Sangster, J., Octanol-water partition coefficients: <i>Fundamentals and Physical Chemistry</i> , Wiley, New York, 79-112, 1997											
[Signature]	Scherrer, R., et al., Use of distribution coefficients in quantitative structure-activity relationships, <i>J. Med. Chem.</i> , Vol. 20(1): 53-58, 1977											
[Signature]	Schutz, V., et al., Screening, detection and biotransformation of Lormetazepam, a new hypnotic agent from the 1,4-benzodiazepine series, <i>Arzneim.-Forsch.</i> , Vol. 32: 177-183, 1977											
[Signature]	Seiler, P., et al., 5-Phenyl-1,3-dihydro-1,4-benzodiazepin-2-ones, Experimental verification of substituent constants, <i>Arzneim.-Forsch./Drug Res.</i> , Vol. 33: 1519-1522, 1983											
[Signature]	Sirius Technical Application Notes, Sirius Analytical Instruments, Ltd., Forest Row, East Sussex RH18 5DW, Vol. 1: pages 2, 3, 8, 84, 85, 86, 99b, 99c, 122 & 123, 1994											
[Signature]	Sirius Technical Application Notes, Sirius Analytical Instruments, Ltd., Forest Row, East Sussex RH18 5DW, Vol. 2: pages 36, 37, 81, 82, 83, 84, 114, 115, 167 & 168, 1995											
[Signature]	Slater, B., et al., pH-metric log P. 4. Comparison of partition coefficients determined by HPLC and potentiometric methods to literature values, <i>J. Pharm. Sci.</i> , Vol. 83(9): 1280-1283, 1994											
[Signature]	Smith, D., et al., Physicochemical properties in drug metabolism and pharmacokinetics, <i>Computer-Assisted Lead Finding and Optimization</i> , Ch. 17: 285-276, 1997											
<b>EXAMINER</b>												
<b>JAN LUDLOW</b> <b>PRIMARY EXAMINER</b>						<b>DATE CONSIDERED</b>						
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.												

TC 1700

INFORMATION DISCLOSURE CITATION LIST.DOT. 8/99

